

# STAHL'S CADCUTdirect.com

Heat Transfer Materials for Textiles Direct from the Manufacturer



Now offering  
**LOWER  
ONLINE  
PRICING!**

Dear Decorator

Thank you for giving CAD-CUT Direct such a warm welcome!  
We've received great feedback and we're just getting started.

We're super excited to introduce our **EXCLUSIVE ONLINE PRICING**.  
When you purchase materials online at **CADCUTdirect.com** you  
save up to 15%. In addition, we still offer the **Customer Loyalty  
Program** which can save you an additional 3-6% on every order.  
Visit page 3 for complete details.

**We've received a lot of questions** about some of your biggest  
decorating challenges:

**#1** How do I create artwork?

**#2** How do I know which material is right for my fabric/apparel?

**#3** How do I price apparel and other products?

**We've got the answers... inside this edition!**

What else would you expect from  
the inventors of CAD-CUT®?

May Success Be Yours!



**Josh Ellsworth**

Stahls' CAD-CUT Direct



Josh Ellsworth is an industry expert on apparel customization and General Manager of Stahls' CAD-CUT Direct. His portfolio includes articles for Printwear & Impressions Magazines, webinars for SGIA and Great Garment Graphics and live seminars at Imprinted Sportswear Shows. His YouTube site [youtube.com/joshellsworth](https://www.youtube.com/joshellsworth), and blog [joshellsworth.com](http://joshellsworth.com), have brought worldwide exposure. Through his work, Josh has visited, consulted and been trusted by some of the largest apparel customization businesses in the US. You can reach him by email at [josh@cadcutdirect.com](mailto:josh@cadcutdirect.com).

# Customer Loyalty Program can help you and your business be MORE PROFITABLE!

The program is based on your annual purchases.

The more you spend the more you save — up to 6% on your entire order!\*

Annual Purchases	Trade Discount % OFF Standard US Price List
\$1,500 to \$4,999	3%
\$5,000 to \$9,999	4%
\$10,000 to \$19,999	5%
\$20,000 or higher	6%

Terms & Conditions: To participate in the Customer Loyalty Program, your account must be current and in good credit standing. Once a year, we will set your trade discount, based on your last 12 months' sales. Once a quarter, we will upgrade trade discounts for customers whose sales volume, through the end of the previous quarter, qualifies them for a larger trade discount. Trade discounts may be revoked if your account is past due. Your trade discount will automatically be deducted from your invoice.

\*Trade discounts will be applied to all sales except cutters (other exceptions not listed here may exist and are subject to change). Purchases from any other GroupeSTAHL company are not included in the trade discount program.

## CAD-CUT® Heat Transfer Material

### Sports Uniforms

- 8 ECONOPRINT
- 9 Thermo-FILM
- 9 Thermo-GRIP

### Performance

- 10 Super Film
- 11 GORILLA GRIP II

### T-shirts & Fashion

- 12 SportFilm Lite
- 13 Fashion-FILM

### Special Effects

- 13 FLOCK
- 14 Thermo-FLOCK
- 14 Fashion-FILM Electric
- 15 Glitter
- 15 Reflective Silver
- 16 3M Scotchlite  
Reflective Material 5807
- 16 Fashion-Reflect

## CAD-COLOR™ Digital Print Media

### Performance

- 17 Solutions AirTech
- 17 Solutions Clear
- 18 Solutions Opaque

### Sports Uniforms

- 18 Solutions Sub-Block

### T-shirts & Fashion

- 18 Express Print

### Special Effects

- 19 Solutions Vintage Puff
- 19 Solutions Metallic

### CAD-COLOR Mask

- 19 Solutions, Magic Mask



# Lab Certified

Our parent company, GroupeSTAHL, takes great pride in their lab certification process. Stahls' CAD-CUT Direct is a manufacturer that understands your needs and wants you to be confident in the products you order. Our heat transfer materials and digital print media are put through rigorous tests for Safety, Performance and Durability. Chemists at the GroupeSTAHL Lab put each one of our films through an evaluation process to determine lab certification. Rest assured the products you buy from Stahls' CAD-CUT Direct have been given the stamp of approval by our experts.

## Safety

- **CPSIA Compliant** – Meets federally mandated safety requirements for children's products
- **ANSI/ISEA 107, CSA Z96 and EN 471** certified for reflective material

## Performance & Durability Tests

- **The Dupont Test for Elongation & Recovery** – rates the stretch and rebound properties of a material
- **Print & Durability – AATCC Industry Standard 100** – measures the degree of durability for adhesion to the fabric, the affect of washing & drying, and color fastness
- **Opacity** -measures how well a material blocks fabric dyes after application

---

Stahls' CAD-CUT Direct  
Makes It Easy To

# See For Yourself!



## Samples

See how fast it  
heat applies!

— FREE —



**STAHL'S**  
**CADCUTdirect.com**  
800.4.STAHLS (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](https://www.facebook.com/cadcutdirect)

Visit **CADCUTdirect.com**  
for detailed explanations of each test  
and how respective CAD-CUT and  
CAD-COLOR films performed.

Scattered vs Retroreflection



- Safety
- Performance
- Durability



## Trial Kits

See how easy it  
cuts and weeds!

**\$10.00**



## 1 Yard Cuts

Try a NEW color  
or an exciting  
NEW material!

See individual material  
pages for pricing.

**STAHL'S**  
**CADCUTdirect.com**  
800.4.STAHLS (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](https://www.facebook.com/cadcutdirect)

# How Do You Choose the Right Material for EVERY Job? Check Here!

With so many types of fabrics and garments available, we want to ensure you select the right Stahls' material or media for every job. This reference chart will help guide you through the selection process by cross referencing some of the most frequently used fabrics with our products. Keep it handy, we think this will become a great resource and a valuable checklist for you.

Additional recommendations can be found at [CADCUTdirect.com](http://CADCUTdirect.com)

Due to the combination of fabrics, weaves, and dyes used in the textile industry, Stahls' recommends and provides samples of our materials and medias for testing.

100% Cotton Sweatshirt, T-Shirt, Polo, Hat, Canvas, Bag	100% Preshrunk Cotton Sweatshirt, T-Shirt, Polo, Hat	100% Polyester Sweatshirt, T-Shirt, Polo, Hat	Lycra /Spandex Blends T-Shirt, Jersey, Performance Shirt, Swimsuit	Nylon Windbreaker, Jacket, Umbrella, Backpack	Sublimated Polyester Jersey, Sport Shirts	Cordura® Backpack, Duffle Bag	Leather Jacket, Belt, Shoes, Gloves, Bag	Neoprene Wetsuit, Coozie
--	---	--	---	--	--	----------------------------------	---	-----------------------------

CAD-CUT® Materials									
3M™ Scotchlite™ Reflective 5807	X	X	X	X	X		X		
ECONOPRINT™	X	X	X						
Fashion-FILM™	X	X	X	X					
Fashion-FILM™ Electric	X	X	X	X					
Fashion-REFLECT™	X	X	X	X	X		X		
Flock	X	X	X			X			
Glitter	X	X	X						
GORILLA GRIP® II	X	X	X	X	X		X		
Silver Reflective	X	X	X		X		X		
SportFilm Lite™	X	X	X	X	X				
Super Film™		X	X	X	X				
Thermo-FILM®	X	X	X			X			
Thermo-FLOCK®	X	X	X			X			
Thermo-GRIP®	X	X	X		X	X			
CAD-COLOR® Digital Media									
Express Print	X	X	X	X					
Solutions™ AirTech™	X	X	X	X	X				
Solutions™ Clear	X	X	X	X	X				
Solutions™ Metallic	X	X	X	X	X		X		X
Solutions™ Opaque		X	X	X	X		X	X	X
Solutions™ Sub Block	X	X	X	X	X	X			
Solutions™ Vintage Puff™	X	X	X	X	X				



# We're here to help, in more ways than one!

Personalized, professional service at your fingertips from the experts at CAD-CUT Direct!



**Josh Ellsworth**

General Mgr. Stahls' CAD-CUT Direct

When dealing with dye migration issues common with some polyester fabrics, try Thermo-FILM. It's the #1 material available and features superior opacity which blocks strikethrough caused by dye migration. There's no other material like it!



**Michelle Roberts**

Director of Product Testing

Confused about which material to use on your fabric? We'll help you select the best option for application.



**Nick Horvath**

Cutter Specialist, Stahls' CAD-CUT Direct

To get the best output from your cutter, be sure to have all your settings correct like cutting speed, down force and blade type. If you have a cutter question, I have the answer.



**John Loucks**

Sales Rep and Large Format Installations

For a super efficient production process, use Express Print...with virtually no dry time and a one step heat application, you'll always be ahead of the game.

**Do you have questions?  
We've got answers!**

Log on to Stahls CAD-CUT Direct and **Ask the Experts!**



## CAD-CUT® & CAD-COLOR® Toolbox Webinars

- Information on decorating Team Uniforms, Performance Wear, T-Shirts & More
- Target new markets, Street Wear, Fashion, Men's, Women's, & Children's Wear
- Discover new marketing and sales tips

Register for one today at [GreatGarmentGraphics.com](http://GreatGarmentGraphics.com)



[facebook.com/cadcutdirect](http://facebook.com/cadcutdirect)

Want to learn new tips and tricks with your vinyl cutter? **Become a fan** of CAD-CUT Direct. Our official Facebook fan page is dedicated to helping decorators succeed and profit. View photos, videos, and read our blog posts. Stay current on the latest events and join in on our discussions.



Are you a member of **T-shirtforums.com**?

Stahls' CAD-CUT Direct is the official sponsor of the Help Forum. Visit the site to review discussions on vinyl cutters, print/cut systems, CAD-CUT® materials and CAD-COLOR® digital medias.

**STAHL'S**  
**CADCUTdirect.com**  
800.4.STAHL (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](http://facebook.com/cadcutdirect)

# CAD-CUT® Heat Transfer Materials

CAD-CUT® is a patented heat transfer material (also known as vinyl or film) that can be used for almost any garment decoration project. It is designed to be heat applied onto garments and works on all types of fabrics and substrates.

## Q Josh's Cut

**Q.** How would you handle blended material, for example a poly/nylon?

**Frank F. from Maryland**

Great question Frank. We formulate our materials with special adhesives for a range of applications. As you read this magalog you'll notice some films are recommend for polyester and cotton and others for nylon. The trick is finding one that is recommended for both nylon and polyester to ensure

adhesion. For contact sports uniforms, go for a rugged, durable film like **Thermo-GRIP®**. If you want a thin, soft product that adheres well to performance fabrics, choose **Super Film** or **GORILLA GRIP® II**. All of these materials are suitable for application to bags and jackets.

**Exclusive Online Pricing Shown!**



## CAD-CUT® ECONOPRINT™

Economical, durable solution with a matte finish. Non pressure sensitive frosted carrier.

**220 micron film.**

**Recommended fabrics:**

- Cotton
- Polyester

**Time:** 12-15 seconds, peel WARM

**Temperature:** 330°F

**Pressure:** Light



As LOW as \$1<sup>11</sup> per sq. ft. if purchased online!

friction fed	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
15"	7.05	25.48 5.10 yd	47.04 4.70 yd	109.76 4.39 yd	208.74 4.17 yd

**STAHL'S**  
**CADCUTdirect.com**  
 800.4.STAHL (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](https://www.facebook.com/cadcutdirect)



## CAD-CUT® Thermo-FILM®

Best seller, abrasion resistant, durable, dye blocking with a semi-gloss finish. Clear pressure sensitive carrier.

**190 micron polyurethane film.**

**Recommended fabrics:**

- Cotton
- Polyester



**Time:** 6-8 seconds; peel WARM

**Temperature:** 330°F

**Pressure:** Medium

**CPSIA Compliant**



Transfer Express transfers available in inks to match!

**As LOW as \$1<sup>65</sup> per sq. ft. if purchased online!**

friction fed	1 yd cut	5 yd roll		10 yd roll		25 yd roll		50 yd roll	
15"	9.11	35.77	7.15 yd	68.60	6.87 yd	166.60	6.65 yd	313.60	6.27 yd
20"	11.56	48.02	9.60 yd	92.12	9.22 yd	215.59	8.63 yd	411.60	8.23 yd



## CAD-CUT® Thermo-GRIP®

Superior adhesion, abrasion resistant, durable, dye blocking, with a semi-gloss finish. Clear pressure sensitive carrier.

**190 micron polyurethane film.**

**Recommended fabrics:**

- Nylon
- Polyester
- Cotton



**Time:** 6-8 seconds; peel WARM

**Temperature:** 330°F

**Pressure:** Medium

**CPSIA Compliant**

**As LOW as \$2<sup>26</sup> per sq. ft. if purchased online!**

friction fed	1 yd cut	5 yd roll		10 yd roll		25 yd roll		50 yd roll	
15"	11.85	49.49	9.90 yd	94.08	9.41 yd	221.47	8.86 yd	423.85	8.48 yd
20"	15.09	65.66	13.13 yd	125.44	12.55 yd	294.98	11.79 yd	565.46	11.31 yd

**STAHL'S**  
**CADCUTdirect.com**  
 800.4.STAHL (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](https://www.facebook.com/cadcutdirect)

Q.

What film product do I use for Under Armour®?

Brenda C. from Washington

Under Armour® leads the pack for performance apparel and they have quite a variety of fabrics and constructions. We've designed our new **Super Film** specifically for these fabrics. Super Film is lightweight and stretchable. It conforms nicely and heat applies

at a low temperature. I would recommend Super Film for almost all performance apparel applications. The exception is when your polyester based performance wear has a dye migration/bleeding issue – then I would recommend **Thermo-FILM®**.



*New!*

### CAD-CUT® Super Film™

Superior adhesion, ultra thin/soft, highly stretchable, handles fine detail, matte finish. Non pressure sensitive frosted carrier.

**50-90 micron polyurethane film.**

**Recommended fabrics:**

- Pre-shrunk cotton
- Lycra®/spandex
- Polyester
- Nylon

**Time:** 10 seconds; 20 seconds for nylon. Rub with a heat eraser, wait 10 seconds then peel.

**Temperature:** 320°F

**Pressure:** Medium



As LOW as \$1<sup>57</sup> per sq. ft. if purchased online!

friction fed	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
20"	8.92	36.12 7.22 yd	70.12 7.01 yd	166.60 6.67 yd	—

**STAHL'S**  
**CADCUTdirect.com**  
 800.4.STAHL5 (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](https://www.facebook.com/cadcutdirect)




## CAD-CUT® GORILLA GRIP® II

Superior adhesion, moderate stretch, matte finish. Non pressure sensitive frosted carrier. Adhesive protection liner.

**80 micron polyurethane film.**

### Recommended fabrics:

- Lycra®/spandex
- Cotton
- Polyester
- Nylon
- Cordura



**Time:** Tack 2 seconds; peel COLD; cover and seal 10 seconds

**Temperature:** 320°F

**Pressure:** Light

As LOW as **\$1<sup>67</sup>** per sq. ft. if purchased online!

friction fed	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
19"	11.36	47.04 9.41 yd	88.20 8.82 yd	207.76 8.31 yd	396.90 7.94 yd



**Q.** I am fairly new at this, as our primary business has been embroidery for seven years. My biggest challenge has been learning to use the software so I can create the images/designs I want for garments and accessory embellishments. Can you give me any tips?

**Karen G. from Illinois**

Karen, you are not alone in this challenge. Creating good vector artwork for vinyl cutting can be challenging. The two most popular design programs, CoreIDRAW and Adobe Illustrator can take time to learn and master. For an easy

solutions, try **CadworxLIVE.com**, it's an online design software that's FREE to all Stahls' CAD-CUT Direct customers. You can easily create designs by selecting from hundreds of pre-designed layouts and thousands of clipart.



## CAD-CUT® Fashion-FILM™

Popular, economical, thin, flexible, matte finish.  
Pressure sensitive frosted carrier. Wide color range.

**88 micron polyurethane film.**

### Recommended fabrics:

- Cotton
- Polyester
- Lycra®/spandex

**Time:** 20 seconds; peel WARM

**Temperature:** 320°F

**Pressure:** Medium

**CPSIA Compliant**



As LOW as \$1<sup>33</sup> per sq. ft. if purchased online!

friction fed	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
15"	7.20	27.00 5.40 yd	53.10 5.31 yd	128.70 5.15 yd	252.00 5.04 yd
19"	8.64	34.20 6.84 yd	67.05 6.71 yd	162.89 6.52 yd	315.00 6.30 yd



## Easy to use web-based software!

**NEW! CAD-CUT® 2.0 Designer**  
Next generation vector artwork program

**NEW! CAD-PRINT® Designer**  
Create eye-popping artwork for any  
production process.

- Clipart/Templates
- Built-in Vectorizer
- Smart Sizing
- Custom Color Palettes

**Log on for your  
FREE membership today!**

**STAHL'S**  
**CADCUTdirect.com**  
800.4.STAHL (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](http://facebook.com/cadcutdirect)



**Time:** 15 seconds; peel WARM

**Temperature:** 320°F

**Pressure:** Medium

**CPSIA Compliant**



Transfer Express transfers  
available in inks to match!

*New!*

## CAD-CUT® SportFilm Lite™

Economical, thin, flexible, durable, true matte finish. Pressure sensitive frosted carrier.

**100 micron polyurethane film. Lead and Phthalate free.**

**Recommended fabrics:**

- Cotton
- Polyester
- Lycra®/spandex blends
- Nylon



As **LOW** as **\$1<sup>26</sup>** per sq. ft. if purchased online!

friction fed	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
20"	8.81	35.09 7.02 yd	69.75 6.98 yd	162.89 6.52 yd	315.00 6.30 yd

**Exclusive Online Pricing Shown!**



**Time:** 15-20 seconds; peel COLD

**Temperature:** 320°F

**Pressure:** Medium

## CAD-CUT® FLOCK

**Available  
Summer 2010**

High fiber density, raised, textured finish. Pressure sensitive clear carrier. Can be layered.

**480 micron PVC based flock.**

**Recommended fabrics:**

- 100% cotton
- 100% polyester
- Sublimated polyester



As **LOW** as **\$1<sup>67</sup>** per sq. ft. if purchased online!

friction fed	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
15"	10.80	45.00 9.00 yd	89.10 8.91 yd	213.30 8.53 yd	417.60 8.35 yd

**STAHL'S**  
**CADCUTdirect.com**  
800.4.STAHL (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](http://facebook.com/cadcutdirect)



## CAD-CUT® Thermo-FLOCK®

Raised, velvet like texture. Pressure sensitive frosted carrier.

**548 micron rayon based flock.**

**Recommended fabrics:**

- Cotton
- Polyester
- Sublimated polyester



**Time:** 8 seconds; peel COLD

**Temperature:** 350°F

**Pressure:** Medium

As LOW as \$2<sup>06</sup> per sq. ft. if purchased online!

friction fed	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
17"	12.15	50.96 10.19 yd	97.02 9.70 yd	228.34 9.13 yd	437.08 8.74 yd



## CAD-CUT® Fashion-FILM™ Electric

Special effect, thin/soft, metallic like finish. Pressure sensitive clear carrier.

**95 micron polyurethane film.**

**Recommended fabrics:**


- Cotton
- Polyester
- Lycra®/spandex

**Time:** 15 seconds; peel HOT

**Temperature:** 320°F

**Pressure:** Medium

**CPSIA Compliant**



As LOW as \$1<sup>63</sup> per sq. ft. if purchased online!

friction fed	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
20"	10.82	44.65 8.93 yd	85.50 8.55 yd	209.00 8.36 yd	408.50 8.17 yd

**STAHL'S**  
**CADCUTdirect.com**  
 800.4.STAHL (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](https://www.facebook.com/cadcutdirect)



## CAD-CUT® Glitter

Special effect, base color with glitter finish, clear top coat. Non pressure sensitive frosted carrier.

**120 micron film.**

**Recommended fabrics:**


- Cotton
- Polyester

**Time:** 10 seconds; peel COLD

**Temperature:** 330°F

**Pressure:** Light

**CPSIA Compliant**



As LOW as \$178 per sq. ft. if purchased online!

friction fed	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
19"	11.78	49.40 9.88 yd	94.05 9.41 yd	221.35 8.85 yd	423.70 8.47 yd

Exclusive Online Pricing Shown!



## CAD-CUT® Reflective

Silver, thin, economical with a reflective finish. Pressure sensitive clear carrier. Adhesive protection liner.

**110 micron polyurethane film.**

**Recommended fabrics:**

- Cotton
- Polyester
- Cordura
- Nylon

**Time:** Tack 2 seconds; peel WARM; cover with Kraft Paper and seal 15 seconds

**Temperature:** 330°F

**Pressure:** Medium

Silver

As LOW as \$304 per sq. ft. if purchased online!

friction fed	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
19"	18.03	80.36 16.07 yd	153.86 15.39 yd	360.64 14.43 yd	—

**STAHL'S**  
**CADCUTdirect.com**  
 800.4.STAHL (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](https://www.facebook.com/cadcutdirect)



**Time:** 10-20 seconds, peel COOL  
**Temperature:** 325-350°F  
**Pressure:** Firm

## CAD-CUT® 3M™ Scotchlite™ Reflective Materials 5807

Superior adhesion, waterproof, high visibility, highly reflective finish. Pressure sensitive clear carrier.

**145 micron polyurethane film. Meets high visibility standards: ANSI/ISEA 107, CSA 296 and EN 471.**

### Recommended fabrics:

- Cotton
- Polyester
- Lycra®/spandex
- Nylon

Silver

As LOW as \$3<sup>52</sup> per sq. ft. if purchased online!

friction fed	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
16"	19.40	87.22 17.44 yd	166.60 16.66 yd	386.12 15.45 yd	732.06 14.64 yd
24"	26.94	124.94 24.99 yd	241.57 24.16 yd	548.80 21.96 yd	1,057.42 21.15 yd

Exclusive Online Pricing Shown!



**Time:** Tack 5 seconds; peel WARM; cover with Kraft Paper and seal 5 seconds  
**Temperature:** 305°F  
**Pressure:** Medium

## CAD-CUT® Fashion-REFLECT™

Superior adhesion, moderate stretch, reflective finish. Non pressure sensitive frosted carrier.

**160 micron polyurethane film.**

### Recommended fabrics:

- Cotton
- Polyester
- Nylon
- Lycra®/spandex
- Cordura

White

Black

Red

Navy

Kelly

Orange

Vegas Gold

Mid Blue

Maize

Silver

As LOW as \$3<sup>80</sup> per sq. ft. if purchased online!

friction fed	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
20"	23.32	106.81 21.36 yd	210.70 21.07 yd	512.54 20.50 yd	949.62 18.99 yd

**STAHL'S**  
**CADCUTdirect.com**  
 800.4.STAHL (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](https://www.facebook.com/cadcutdirect)



## CAD-COLOR® Heat Transfer Material

Our CAD-COLOR® digital print media is designed for solvent printing and cutting. This heat transfer media enables you to produce full color digital transfers for application to virtually any fabric. Our digital print media is compatible with Roland, Mutoh, Mimaki and other solvent printer and print/cut systems.

**Exclusive Online Pricing Shown!**



**CPSIA Compliant**

### CAD-COLOR® Solutions™ AirTech™

Ultra thin, clears holes on mesh, superior adhesive, highly stretchable. Paper carrier.

**18 micron, printable transparent polyurethane film.**

**Recommended fabrics:** cotton, polyester, nylon, Lycra®/spandex (white and light colored)

**Time:** 12 seconds, peel HOT

**Temperature:** 310°F

**Pressure:** Firm

As LOW as **\$159** per sq. ft. if purchased online!

	5M roll	10M roll	20M roll	30M roll
24"	54.15	104.50	209.00	—



**CPSIA Compliant**

### CAD-COLOR® Solutions™ Clear

Thin/soft, superior adhesive, highly stretchable. Paper carrier.

**32 micron, printable transparent polyurethane film.**

**Recommended fabrics:** cotton, polyester, Lycra®/spandex, nylon

**Time:** 5 seconds, peel HOT, cover and seal 5 seconds

**Temperature:** 305°F

**Pressure:** Medium

As LOW as **\$178** per sq. ft. if purchased online!

	5M roll	10M roll	20M roll	30M roll
24"	59.84	118.75	237.50	350.55

**STAHL'S**  
**CADCUTdirect.com**  
 800.4.STAHL (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](http://facebook.com/cadcutdirect)

Exclusive Online Pricing Shown!



### CAD-COLOR® Solutions™ Opaque

Thin/soft, superior adhesive, highly stretchable, semi-matte finish. Paper Carrier.

**55 micron, printable white polyurethane film.**

**Recommended fabrics:** pre-shrunk cotton, polyester, Lycra®/spandex, nylon

**Time:** 5 seconds, peel COOL, cover and seal 5 seconds

**Temperature:** 305°F

**Pressure:** Medium

**CPSIA Compliant**

As LOW as \$2<sup>46</sup> per sq. ft. if purchased online!

	5M roll	10M roll	20M roll	30M roll
24"	80.75	161.50	323.00	484.50



### CAD-COLOR® Solutions™ Sub Block

White, dye migration blocking, solvent/eco-solvent printable, superior adhesive, semi-matte finish. Paper carrier, silver base layer for opacity.

**125 micron, printable white polyurethane film.**

**Recommended fabrics:** sublimated polyester, cotton, polyester, Lycra®/spandex, nylon

**Time:** 2 seconds, peel WARM, cover and seal 15 seconds

**Temperature:** 330°F

**Pressure:** Firm

**CPSIA Compliant**

As LOW as \$4<sup>07</sup> per sq. ft. if purchased online!

	5M roll	10M roll	20M roll	30M roll
19"	107.35	213.75	422.75	—

*New!*



### CAD-COLOR® Express Print

NEW, best selling, best in production, white solvent/eco-solvent printable, durable adhesive, lightweight, flexible, preferred matte finish. Non pressure sensitive smooth release clear carrier.

**88 micron, printable white polyurethane film.**

**Recommended fabrics:** cotton, polyester, Lycra®/spandex, dazzle

**Time:** 15-20 seconds, peel WARM

**Temperature:** 320°F

**Pressure:** Medium

**CPSIA Compliant**

As LOW as \$1<sup>45</sup> per sq. ft. if purchased online!

	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
20"	9.69	39.95	77.35	187.00	361.25

**STAHL'S**  
**CADCUTdirect.com**

800.4.STAHL (800.478.2457)



Become a fan  
facebook.com/cadcutdirect

Exclusive Online Pricing Shown!



## CAD-COLOR® Solutions™ Vintage Puff™

Faded, puff finish. Paper carrier.

**125 micron, printable polyurethane film.**

**Recommended fabrics:** cotton, polyester, Lycra®/spandex, nylon

**Time:** 5 seconds, peel HOT, cover and seal 10-15 seconds

**Temperature:** 330°F

**Pressure:** Medium

**CPSIA Compliant**

As LOW as **\$3<sup>22</sup>** per sq. ft. if purchased online!

	5M roll	10M roll	20M roll	30M roll
24"	107.35	213.75	422.75	—



## CAD-COLOR® Solutions™ Metallic

Metallic finish. Paper carrier.

**130 micron, printable silver film.**

**Recommended fabrics:** cotton, polyester, Lycra®/spandex, nylon

**Time:** 5 seconds, peel HOT, cover and seal 10-15 seconds

**Temperature:** 330°F

**Pressure:** Medium

**CPSIA Compliant**

As LOW as **\$3<sup>89</sup>** per sq. ft. if purchased online!

	5M roll	10M roll	20M roll	30M roll
19"	104.50	204.25	403.75	—

## CAD-COLOR® Mask

**Solutions Mask** - for use with Opaque and Vintage Puff

	5M roll	10M roll	20M roll	30M roll
23"	20.18	40.13	80.27	120.41

**Medium Tack Magic Mask** - for use with Express Print, Metallic, and Sub Block

	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
20"	5.22	20.89	38.94	92.14	168.15
30"	7.36	30.40	57.00	133.00	247.00

**Low Tack Magic Mask** - for use with Sub Block

	1 yd cut	5 yd roll	10 yd roll	25 yd roll	50 yd roll
15"	4.03	15.67	29.68	70.30	127.30
30"	7.36	30.40	57.00	133.00	247.00

**STAHL'S**  
**CADCUTdirect.com**  
 800.4.STAHL (800.478.2457)



Become a fan  
[facebook.com/cadcutdirect](https://www.facebook.com/cadcutdirect)

# STAHL'S CADCUTdirect.com

Heat Transfer Materials for Textiles Direct from the Manufacturer



Now offering  
**LOWER  
ONLINE  
PRICING!**

Through increasing popularity of the CAD-CUT brand, Stahls' ID Direct has expanded and proudly brings you the best the CAD-CUT world has to offer.

We sharpened our pencils and lowered our prices. CADCUTdirect.com lets you cut out the middleman and buy direct from the manufacturer.

Log on today and visit our new and improved online support and ordering website—CADCUTdirect.com.

## 24/7 Web Ordering

Best Value \$ — Faster Shipping — How-to-Videos — And MORE!

**What Else Would You Expect  
from the Inventors of CAD-CUT®?**

a GroupeSTAHL company

